

CBD2HEAL

CERTIFICATE OF ANALYSIS

Richmond Hill, ON L4S 0B8 • 1-888-200-4990 • cbd2heal.ca

Product Code: RM-BS-HO	
Product Description: CBD2HEAL CBD Broad Spectrum CBD Oil Extract	
Lot Number: 38302	Testing Date: November 2021
Manufacture Date: September 2021	Expiration Date: September 2023

CANNABINOIDS - Testing performed by Canvas Testing Labs	
CBDV	24.19%
THCa	Not Detected
Δ 9-THC	Not Detected
Δ 8-THC	Not Detected
THCV	0.50%
CBDa	Not Detected
CBD	73.38%
CBN	Not Detected
CBG	0.82%
CBC	Not Detected
AFLATOXINS - Testing performed by Canvas Testing Labs	
B1	Pass
B2	Pass
G1	Pass
G2	Pass
MICROBIALS - Testing performed by Canvas Testing Labs	
Aerobic Bacteria	Pass
Bile-Tolerant Gram-Negative Bacteria	Pass
E. Coli	Pass
Salmonella	Pass
Yeast & Mold	Pass

CBD2HEAL

CERTIFICATE OF ANALYSIS

Richmond Hill, ON L4S 0B8 • 1-888-200-4990 • cbd2heal.ca

Product Code: RM-BS-HO	
Product Description: CBD2HEAL CBD Broad Spectrum CBD Oil Extract	
Lot Number: 38302	Testing Date: November 2021
Manufacture Date: September 2021	Expiration Date: September 2023

HEAVY METALS - Testing performed by Canvas Testing Labs	
Arsenic	Pass
Cadmium	Pass
Cobalt	Pass
Copper	Pass
Lead	Pass
Manganese	Pass
Mercury	Pass
Nickel	Pass
Zinc	Pass
RESIDUAL SOLVENTS - Testing performed by Canvas Testing Labs	
Acetone	Pass
Ethanol	Pass
Heptane	Pass
Isobutane	Pass
Isopropanol	Pass
n-Butane	Pass
n-Hexane	Pass
n-Pentane	Pass
PESTICIDES - Testing performed by Canvas Testing Labs	
Total Pesticides	Pass

CBD2HEAL

CERTIFICATE OF ANALYSIS

Richmond Hill, ON L4S 0B8 • 1-888-200-4990 • cbd2heal.ca

Product Code: RM-BS-HO	
Product Description: CBD2HEAL CBD Broad Spectrum CBD Oil Extract	
Lot Number: 38302	Testing Date: November 2021
Manufacture Date: September 2021	Expiration Date: September 2023

INGREDIENTS:

Broad Spectrum CBD Oil Extract

QUALITY APPROVAL		
Prepared By/Date	Approved By/Date	Status
 Michael Flynn Chemist Signing Date: 2022.02.10	 Leslie Hewitt Quality Assurance Manager Signing Date: 2022.02.11	Pass

This CBD2HEAL Inc. TM product has been reviewed by Quality Assurance, has been found to have met all product specifications, and is released. This product contains less than 0.3% THC per hemp regulation.