



CERTIFICATE OF ANALYSIS

Richmond Hill, ON L4S 0B8 • 1-844-522-4223 • cbdmagic.co

Product Description: CBD Magic Full Spectrum Hemp Oil 4000mg 30mL	
Product Code: CM-FS-05	Lot Number: 76293
Manufacture Date: November 2023	Testing Date: December 2023

CANNABINOIDS - Testing performed by Canvas Testing Labs	
CBDV	39.52 mg/mL
THCa	Not Detected
Δ 9-THC	0.66 mg/mL
Δ 8-THC	0.41 mg/mL
THCV	1.32 mg/mL
CBDa	Not Detected
CBD	137.89 mg/mL
CBN	Not Detected
CBG	1.92 mg/mL
CBC	Not Detected
AFLATOXINS - Testing performed by Canvas Testing Labs	
B1	Pass
B2	Pass
G1	Pass
G2	Pass
MICROBIALS - Testing performed by Canvas Testing Labs	
Aerobic Bacteria	Pass
Bile-Tolerant Gram-Negative Bacteria	Pass
E. Coli	Pass
Salmonella	Pass
Yeast & Mold	Pass



CERTIFICATE OF ANALYSIS

Richmond Hill, ON L4S 0B8 • 1-844-522-4223 • cbdmagic.co

Product Description: CBD Magic Full Spectrum Hemp Oil 4000mg 30mL	
Product Code: CM-FS-05	Lot Number: 76293
Manufacture Date: November 2023	Testing Date: December 2023

HEAVY METALS - Testing performed by Canvas Testing Labs	
Arsenic	Pass
Cadmium	Pass
Cobalt	Pass
Copper	Pass
Lead	Pass
Manganese	Pass
Mercury	Pass
Nickel	Pass
Zinc	Pass
RESIDUAL SOLVENTS - Testing performed by Canvas Testing Labs	
Acetone	Pass
Ethanol	Pass
Heptane	Pass
Isobutane	Pass
Isopropanol	Pass
n-Butane	Pass
n-Hexane	Pass
n-Pentane	Pass
PESTICIDES - Testing performed by Canvas Testing Labs	
Total Pesticides	Pass



CERTIFICATE OF ANALYSIS

Richmond Hill, ON L4S 0B8 • 1-844-522-4223 • cbdmagic.co

Product Description: CBD Magic Full Spectrum Hemp Oil 4000mg 30mL	
Product Code: CM-FS-05	Lot Number: 76293
Manufacture Date: November 2023	Testing Date: December 2023

INGREDIENTS:

Organic MCT Oil, Hemp Seed Oil

QUALITY APPROVAL		
Prepared By/Date	Approved By/Date	Status
 Andrea DeRoche Chemist Signing Date: 2023.12.01	 Justin Pinnell Quality Assurance Manager Signing Date: 2023.12.02	Pass

This CBD Magic Inc. TM product has been reviewed by Quality Assurance, has been found to have met all product specifications, and is released. This product contains less than 0.3% THC per hemp regulation.